# **Hitachi Power Tools**



D10DF2



# D10VC (KARAGLE SPEED, REVERSIBLE) D10V1 PARMULE SPEED, REVERSIBLE



Angle Drills **DU10** 

DUT10



CAPADITY: STEEL POWER INPUT: NO-LOAD SPEED: WEIGHT: 1,250/2,800/min WEIGHT: 1.0kg .okg ...

MACCESSORIES
1 CHUCK WRENCH, I SIDE HANDLE, I STOPPER

#### **Cordiess Impact Drills** DV10DA (2-SPEED, REVERSIBLE)

MACCESSORIES

1 CHARGER, 1 BATTERY, 1 DRIVER BIT

CAPACITY: MILD STEEL 90FT WOOD WOOD SCREW (D x L) MACHINE SCREW VOLTAGE: NO-LOAD SPEED:

TORQUE RANGE

DV10DV (WHABLE SPEED, PEVENSBLE)



WEIGHT: 2kg

MACCESSORIES

1 CHARGER, 1 BATTERY
1 CASE, 1 CHUCK WHENCH

WH8DC2



BUL-SH3



CAPADITY:
STEEL 13mm
POWER INPUT: 620W
NO-LOAD SPEED: 1,100min.
WEKART: 2.6kg
MACCESSORIES
1 CHUCK WRENCH, 1.5IDE HANDLE

**BU-PN3** 

CAPACITY: 8TEEL POWER INPUT: NO-LOAD SPEED: WEIGHT:



# TACHI







#### PICTOGRAPH EXPLANATION





ELECTRONIC CONTROL







VARIABLE

















SHOCK-ABSORBING HANDLE

NOTES: HITACHI KOKI CO., LTD. RESERVES THE RIGHT TO CHANGE SPECIFICATIONS AND STANDARD ACCESSORIES WITHOUT NOTICE. STANDARD ACCESSORIES AND SPECIFICATIONS OF PARTS MAY DIFFER FROM COUNTRY TO COUNTRY.

# Angle Drill D10YA



CAPACITY: STEEL WOOD POWER INPUT: NO-LOAD SPEED:

WEIGHT: 1.7kg
#ACCESSORIES
1 CHUCK WRENCH, 1 SIDE HANDLE

# Mixer



CAPACITY: MOTING SCREW DIA. POWER INPUT: NO-LOAD SPEED:

620W 1,100/min. 3.3kg

WEIGHT: 3.3kg

ACCESSORIES

1 MIXING SCREW, 1 SIDE HANDLE
1 WRENCH

Magnetic Drill Press



# **Disc Grinders**

G10SB1 PDA100D



CAPACITY:
WHEEL DIA. 100mm
POWER INPUT: 530W
NO-LOAD SPEED: 12,000/min.
SPINOLE THREAD: M10x1.5
WEIGHT: 1,8mg
MACCESSORIES
1 RESINOID WHEEL, 1 WRENCH

G108B1 PDA100D

#### G10SP



CAPACITY:
WHEEL DIA. 100mm
HOLE DIA. 150mm
POWER INPUT: BOTOM
NO-LOAD SPEED: 12,000mm.
SPINDLE THREAD: MIDS 15,000mm.
WEIGHT: 1,3kg
MACCESSORIES
I RESINGED WHEEL, 1 WRENCH

G12SA **G13SB** 



CAPACITY:
WHEEL DIA. 115mm 125mm
POWER INPUT. 750W 750W
NO-LOAD SPEED: 10,000min. 10,000min.
SPINOLE THREAD: M14x2 M14x2
WEIGHT: 2.1kg 2.1kg
ACCESSORIES
1 RESINOID WHEEL, 1 SIDE HANDLE, 1 WRENCH

0.1388

G125A

#### G13SC G15SA



CAPACITY:
WHEEL DIA 125mm
POWER INPUT: 1,950W
NOL-DOA SPEED: 10,000/m
SPINDLE THREAD: M140/2
MEIGHT: 3kg
ACCESSORIES
1 SIDE HANDLE, 1 WREINCH

#### **G18SE2**



CAPACITY CAPACITY:
WHEEL DIA 180mm
POWER INPUT: 2,200W
NO-LOAD SPEED: 8,500mm
NO-LOAD SPEED: 8,500mm
NH (42)
WEIGHT: 5kg
MACCESSORIES
1 SIDE HANDLE, 1 WIRENCH

#### G23SC2



CAPACITY:
WHEEL DIA. 230mm
POWER INPUT: 2,200M
NO-LOAD SPEED: 6,600mm
SPINDLE THREAD: M14x2
WEIGHT: 5kg
ACCESSORIES
1 SIDE HANDLE, 1 WRENCH

#### Bench Drill Presses

**B13S** 

**B13R** 

**B23S** 

CAPACITY: STEEL POWER OUTPUT: WORKING SURFACE: OVERALL HEIGHT: WEIGHT:

8135 B13B

# **Hand Grinders**

#### LDU4



CAPACITY:
CHUCK
GHUCK
GHUCK
MAXX WHEEL DIA. 32mm
POWER INPUT: 2400W
NO-LOAD SPEED: 23,000/min
WEGGHT: 1.9kg
MACCESSORIES
5 MOUNTED WHEELS, 1 CASE
2 WITENCHES

#### GP<sub>2</sub>



CAPACITY: CHUCK MAX WHEEL DIA. POWER IMPUT: NO-LOAD SPEED: WEIGHT: MACCESSORIES 2 WRENCHES

#### **Bench Grinders**

GT13 GT15

GT21 E OR THREE PHASE)



150mm

CAPACITY: WHEEL DIA. POWER INPUT: SINGLE PHASE THREE PHASE NO-LOAD SPEED: SOHE WEIGHT:

GT13

MACCESSORIES 1 PAIR OF SPARK BREAKERS

# Disc Sander

#### **S15**



CAPACITY: 150mm
POWER INPUT: 500W
NO-LOAD SPEED: 4,000min.
SPINOLE THREAD: Minia;
WEIGHT: 3,2kg
#ACCESSORIES
2 WRENCHES, 5 SANDING DISCS



# Sander Polisher

**SAT180** 



CAPACITY: 180mm
POWER INPUT: 750W
NO-LOAD SPEED: 1,9000,400/min.
SPINDLE THREAD: MITA2
WEDGHT: 2.9kg
MACCESSORIES
2 WRENCHES, 1 SIDE HANDLE, 1 RUBBER PAD
5 SANDING DISCS, 1 WOOL BONNET

# **Polishers**

SP13 **SP18** 



CAPACITY: 125mm
POWER INPUT: 240W
NO-LOAD SPEED: 2,900min.
SPINOLE THRIEAD: M12x1.75
WEIGHT: 2,3kg
MACCESSORIES
I WRENCH, I WOOL BONNET

# **Orbital Sander** SV12SA



CAPACITY: PAD SIZE POWER INPUT: ORBIT DIA: NO-LOAD SPEED:

WEIGHT: MACCESSORY 1 SANDING PAPER







CAPACITY PAD SIZE POWER INPUT: ORBIT DIA: NO-LOAD SPEED:

300W 2.4mm 8PINDLE 10.000/min. ORBIT 20,000/min.

#### SV12SD



CAPACITY: PAD SIZE POWER INPUT: ORBIT DIA: NO-LOAD SPEED:

口盆

■ACCESSORIES 1 DUST BAG, 1 SANDING PAPER

#### **Belt Sanders**

**SB75** SB10T



口無

CAPACITY: 58175
SELT SIZE 76x533mm
POWER INPUT: 960W
NO-LOAD SPEED: 86LT SPEED 360m/450min
WEIGHT: 4.48g
MACCESSOPIES
1 DUST BAG, 1 SANDING BELT

**SB110** 

58107

100x610mm

350m/420m/min. 5.3kg

# Impact Wrenches

WEIGHT: 2.8kg

#ACCESSORIES
1 CHUCK WRENCH, 1 SIDE HANDLE

- CIRC

M10 285W

0~330/min 0~660/min

WH14

Tapper

CAPACITY: STEEL ALUMINUM POWER INPUT: NO-LOAD SPEED: FORMAPO BACKWARD

UT8V



CAPACITY: "
BELT SIZE
POWER INPUT:
NO-LOAD SPEED:
BELT SPEED
WEIGHT:

300m/350m/min. 7.3kg MACCESSORIES

1 DUST BAG, 1 SANDING BELT



# Screw Drivers

W6VA2



W6VB ED, REVERSIBLE)



WEIGHT: 1.7kg

MACCESSORIES 1.7kg

1 MASNETIC HEX. SOCKET, 1 LOCATOR 1 HOOK

# **Blower**

**PB20** 



CAPACITY:
AIR PRESSURE 40
(MATER COLLIMN)
AIR VOLLIME 23
POWER INPUT: 33
NOLQAD SPEED: 33
WEIGHT: 11
MIXCESSORIES
1 DUST BAG, 1 NOZZLE

400mm



#### WH16



CAPACITY
BOLT (ORDINARY)
TORQUE
SOUARE DRIVE
POWER INPUT:
NO-LOAD SPEED:
FULL-LOAD IMPACT PATE
WEIGHT:
MACCESSORY
I HEX. BAR WRENCH



#### **WH22**



BOLT (ORDINARY)
TORQUE
SQUARE DRIVE
POWER INPUT:
NO-LOAD SPEED:
FULL-LOAD IMPACT RATE:

WEIGHT: 5kg
#ACCESSORIES
1 SOCKET WITH RING & PIN
1 SIDE HANDLE, 1 STEEL CASE

# **Nibbler**

**CN16** 



19mm 850W



# Shear





CAPACITY:

POWER INPUT: 400W NO-LOAD SPEED: 4,200 Inio. 1,8kg WEIGHT: 1.8kg

#ACCESSORIES
1 WRENCH, 1 BLADE SET
1 THICKNESS GAUGE

# **Cutters**






#### CC12Y



CAPACITY:
WHEEL DIA.
MAX. CUTTING DEPTH
POWER INPUT:
NO-LOAD SPEED:
WEIGHT:
MACGESSORIES
\*\*WEIGHT.\*\*

2 WRENCHES, 1 SIDE HANDLE 2 TYPES OF CUTTING WHEEL

## **High Speed Cut-Off Machines HU12**



GAPACITY: BAR DIA. PIPE DIA. SHAPE STEEL. POWER INPUT: NO-LOAD SPEED: WEIGHT:

■ACCESSORIES

2 WRENCHES, 1 CUT-OFF WHEEL

# **HU14** APACITY: BAR DM. 66mm PFE DA. 114.3mm SHAPE STEEL 130x130mm OWERI NPUT: 2,000W O-LGAD SPEED: 3,700min, NEIGHT: 17.5kg ACCESSORIES 2 WITENCHES, 1 CUT-OFF WHEEL

# CC16SA



CAPACITY:
BAR DIA. 75ewn
MPPE DIA. 138.8rsm
SPAPE STEEL 138.8rsm
NO-LOAD SPEED: 3,500min,
WEIGHT: 22.5kg
MACCESSORIES
I WHENCH, 1 CUT-OFF WHEEL





# Miter Saws





CAPACITY:
BLADE DIA.
MAX. CUT. HEIGHT
MAX. CUT. WIDTH
(0"/48")
POWER INPUT:
NO-LOAD SPEED:
POSITIVE ANGLE STOP:
WEIGHT

1,380W 4,100min. 0°, 45° (R/L) 22kg

■ACCESSORIES 1 BLADE, 1 BCX WRENCH

# C12FA





CAPACITY:
BLADE DIA.

MAX. GUT. HEIGHT 197mm
MAX. GUT.WIDTH 124492mm
(07487)
POWER INPLIT:
POSITIVE ANGLE STOP: 9°, 19°, 22.5°, 30
BACCESSORIES
1 BLADE, 1 DUST BAG, 1 BOX WRENCH 1,640W 4,000/min. 0°, 15°, 22.5°, 30°, 45° (RL) 18kg

# C15FB




CAPACITY: BLADE DIA MAX. CUT. HEIGHT MAX. CUT. WIDTH

MAX. CUT. WIDTH 185/138mm (57/487)
POWER INPUT: 1,640W NO-LOAD SPEED: 2,400/min. 25kg WEIGHT: 25kg 184.06, 1 DUST BAG, 1 VISE ASSY 1 HOLDER ASSY, 2 WRENCHES

3,400/min. 0°, 15°, 22.5°, 30°, 45° (Rt.) 25kg

# **Universal Saw**

**SR15** 



CAPACITY:
SAW BLADE
CUT SEZ (Worl)
CUT-OFF WHEEL
PIPE
POWER INPUT;
NO-LOAD SPEED:
WEIGHT;
MACCESSORIES
2 WRENCHES

# **Compound Saw**

C8FC



CAPACITY
BLADE DIA.
CROSS CUT (0")
GOVIT (45")
BEVEL CUT (45")
BEVEL CUT (45")
BEVEL CUT (45")
POWER INFUT:
NO-LOAD SPEED:
SOOM:
MITER ANGLE
BEVEL ANGLE
L0-45"
MACCESSORIES
1 BLADE, 1 DUST BAO, 1 VISE ASSY, 1 BOX WRENCH

# Slide compound Saw

C8FB



BEVEL ANGLE: WEIGHT: MADDESSORIES

1 BLADE, 1 DUST BAG, 1 WRENCH

216mm 65x305mm 65x229mm 45x229mm 45x229mm 920W 4,900/min R 0~67°, L 0~45° 1,7kg

# **Hammer Drills**

DH24VB



CAPACITY:
CONCRETE 24mm
STEEL 13mm
POWER INPUT: 50mm
NO-LOAD SPEED: 0~1,000min.
MPACT RATE: 0~2,00min.
MEKOHT: 2.3kg
ACCESSORIES 1 STOPPER, 1 SIDE HANDLE, 1 CASE

#### DH25V 2. 2 MODE ACTIONS



CAPACITY: CONCRETE

STEEL 134mm
POWER INPUT: 520W
NO-LOAD SPEED: 0—800/min.
MYACT RATE: 0—3.156/min.
WEIGHT: 4.4kg

ACCESSORIES 1 STOPPER, 1 DUST CUP, 1 SIDE HANDLE, 1 CASE

# Hammer Drills

#### PR38E



# DH40YB



## Hammer

#### H41SA



#### **H50**



POWER INPUT: 1,140W
IMPACT RATE 2,100/min.
WIDGHT: 8

MACCESSORIES 2 WRENCHES, 1 OIL PEEDER
1 BULL POINT, 1 SIDE HANDLE, 1 CASE



POWER INPUT: 1,240W IMPACT RATE: 1,400min. WEIGHT: 15kg

MACGESSORIES 3 WIRENCHES, 1 OIL FEEDER 1 BULL POINT, 1 CASE



**Impact Drills** 

■ACCESSORIES 2 WRENCHES, 1 SIDE HANDLE



16/10mm 15/3mm 600W 1,050/1,800/min. 17,900/28,600/min 2.3kg



CAPACITY:
CONCRETE 2012mm
STEEL 158mm
POWEN NPUT: 60W 11002.600min.
NPACT HATE: 14,00010,000min.
WEIGHT: 2.3kg
ACCESSORIES
1 CHUCK WRENCH, 1 STOPPER, 1 SIDE HANDLE

# DV20V2





3.8kg MACCESSORIES

1 CHUCK WRENCH, 1 STOPPER, 1 SIDE HANDLE Circular Saws



CAPACITY:
BLADE DIA.

MAX. GUT. DEPTH.
POWER INPUT:
NO-LOAD SPEED:
4.700mm
ACCESSORIES
1 BLADE, 1 WRENCH, 1 GUIDE

C7



CAPACITY:
BLADE DIA.

MAX. CUT. DEPTH 65mm
POWER INPUT: 1,050W
NO-LOAD SPEED: 4,700 min.
WEIGHT: 3,04g
MACCESSORIES
1 BLADE, 1 WHENCH, 1 GUIDE

C7SB



CAPACITY:
BLADE DIA.
BLADE DIA.
BLADE DIA.
BLADE DIA.
BLADE DIA.
BLACUT. DEPTH 60mm
POWER INPUT:
LAGOW
NO-LOAD SPEED:
S.000mm
WEIGHT:
AURIGNATION
BLADE, I WIPENCH, I BOLT

60mm 1,400W 5,500imin 4.8kg

C8



CAPACITY: BLADE DIA, MAX. DUT. DEPTH POWER INPUT: NO-LOAD SPEED: WEIGHT:

■ACCESSORIES 1 BLADE, 1 WRENCH, 1 BOLT

C9 C9U



CAPACITY:
BLADE DIA,
MAX. CUT. DEPTH
POWER INPUT:
NO-LOAD SPEED:
WEIGHT:

86mm 1,750W 5,000/min. 7kg(C8) 7.1kg(C9U)

■ACCESSORIES 1 BLADE, 1 SIDE HANDLE, 1 WRENCH, 1 GUIDE







,200/20,000/min







#### **CJ60**



3 BLADES, 1 CIRCULAR GUIDE, 1 STRAIGHT GUIDE 1 CENTERING GUIDE, 1 WRENCH





# CJ60V



WOOD MILD STEEL POWER INPUT: NO-LOAD SPEED: STROKE: 400W 0-3.2 26mm 2.1kg

WEIGHT: 2. Tkg

MACCESSORIES
3 BLACES, 1 CIRCULAR QUIDE, 1 STRAIGHT QUIDE
1 CENTERING GUIDE, 1 WRENCH

## Chain Saw CS350A



# **Planers**

# F20A **P20SB**



CAPACITY:
CUTTING WIDTH
MAX: CUT. DEPTH Imm
POWER INPUT: 570W
NO-LOAD SPEED: 15,000/mi
WEIGHT: 2,54g
MACCESSORIES
1 WRENCH; 2 BLADES, 1 GUIDE
1 BLADE SETTING GALGE

#### F30A



CAPACITY:
CUTTING WIDTH
MAX. CUT. DEPTH
POWER INPUT:
NO-LOAD SPEED:
WEIGHT:
BACCESSORIES
1 WRENCH 2 SLA!

1 WRENCH, 2 BLADES, 1 GUIDE 1 BLADE SETTING GAUGE, 1 CASE

#### P40



CAPACITY:
OUTTING WIDTH 136mm
MAX; CUT, DEPTH 3mm
POWER INPUT: 1,140W
NO-LOAD SPEED: 16,000mm
WIDGHT: 7.2kg
MACCESSORIES 1 WITENCH, 1 DRIVER, 1 TOOL BAG
2 BLADES, 1 RULLER, 1 CASE

#### P50SA



CAPWCITY:
CUTTING WOTH 156mm
MAX. CUT. DEPTH 3mm
POWER INPLIT: 1,140W
NO-LGAD SPEED: 16,000min.
WEDGHT: 7,58g
MACCESSORIES 1 WIENCH, 1 DRIVER, 1 TOOL BAG
2 BLADES, 1 RULLER, 1 CASE

# **Trimmers**

#### TR6A



CAPACITY:
COLLET CHUCK 6in/si
POWER INPUT: 440W
NO-LGAD SPEED: 36,000min.
WEIGHT: 1.4kg
MACCESSORIES
2 WRENCHES, 1 STRAKCHT GUIDE

# Routers

#### **M8**



#### M12SB



CAPACITY: OOLLET CHUCK POWER INPUT: NO-LOAD SPEED: WEIGHT: MACCESSORIES:

12mm for 1/2") 25,000/min. 3,5kg

1 BIT, 1 STRAIGHT GUIDE 1 CHUCK SLEEVE, 1 TEMPLATE GUIDE, 1 WRENCH

#### M12SA



CAPACITY:
COLLET CHUCK 12mm (or 12")
POWER INPUT: 1,600W
NO LOAD SPEED: 22,000mm.
WEIGHT: 5,2mg
MACCESSORIES
1 STRAIGHT GUIDE, 1 TEMPLATE GUIDE
1 WRENCH, 1 CHUCK SLEEVE, 1 BIT

#### M12V





1,850W 8,000---20,000/min.

WEIGHT: 5 3kg

MACCESSORIES 5 3kg

1 STRAIGHT GUIDE, 1 TEMPLATE GUIDE
1 WRENCH, 1 CHUCK SLEEVE

